



# Hybrid Hybrid Slim SE 160





## Hybrid & Hybrid Slim

The connector panels of the series Hybrid and Hybrid Slim are available in the versions Design, Plenum, Standard+ and Standard. Various sizes are available. The modular expansion capability of the Standard variant is depending on the size of the base support 24 or 40 TE for individual supplements from the modular connector panel program. From the Standard+ version the connection plate is freely definable. The connector panel can be rounded precious with a plexi-glas plate in the Design version.

For cover and frame we offer numerous design options, which integrate the connector panel almost invisible in the environment or present it as a highlight.

## Variationen

### Design

The for the Design version reserved plexiglas plate can be equipped in accordance to customer requests with connectors and technology.

### Plenum

The Plenum version provides a freely definable connector plate made of aluminium. Numerous surface finishes allows the individual adaption to the furniture.

### Standard+

The Standard+ version has a freely definable connector plate, which waives in the contrast to Plenum and Design on the flush-bonded installation of the connectors. The free module place is providing the possibility of an connector update.

### Standard

The Standard version is equipped over the existing module places. This standardized production marks the entry level into the Hybrid and Hybrid Slim Series.

## TA Hybrid

The connector panel Hybrid is available in two sizes:

- T-300
- T-380

In the Standard variant the free module places are equipped from the available module program.

The Standard+ variant has a freely definable connector plate but waived - like the Standard version - on the flush mounted installation of the connectors.

In the Plenum variant The connections can be freely defined. They are flush mounted in an aluminum plate.

Rounded precious is the connector panel in the Design variant. The freely definable, flush mounted plate of plexiglas can be labeled individually.

### Further optional possibilities:

- Equipping of Hybrid T-380 with a carrier plate for a **Revoluto microphone of beyerdynamic))))**
- All-round, bevelled or rounded outer edges for attached assembly
- Individual engravings, such as your logo (template)
- Frame and cover, for example, in stainless steel, aluminum, powder coated in RAL color, aluminum wet painted in RAL color, aluminum Nextel paint, etc.
- International power sockets are available on request



Is the cover closed, the cable is guided about a one-to-three-sided brush strip from the aluminium body.

An integrated, not visible when closed, storage keeps order.

The cable connectors are optional available solderable, pluggable or with molded cables. The supplied network cable has a length of 2m.

Furthermore, many functional variants and application versions available, such as the optional fitting of a PI / O control systems and the installation of external modules.

Cable eyelets for strain relief, high security by a closed housing and the physical separation between signal and power lines are already proven and integrated standard features.

The standard finish of the Hybrid Series is Aluminium HQ Structure with Superb Resistance Eloxal.



## Hybrid Slim

The connector panel Hybrid Slim is available in three sizes:


- T-315
- T-365
- T-405

In the Standard variant the free module places are equipped from the available module program.

The Standard+ variant has a freely definable connector plate but waived - like the Standard version - on the flush mounted installation of the connectors.

In the Plenum variant The connections can be freely defined. They are flush mounted in an aluminum plate.

Rounded precious is the connector panel in the Design variant. The freely definable, flush mounted plate of plexiglas can be labeled individually.



There is not a lot of space below the table top? Or the connector panel should be remain as invisible as possible? Then Hybrid Slim is the solution!

Due to the flat mounting of the connector panels have the user's legs maximum space under the table.

Also the installation in a folding table can be realized. A secure attachment and individual design, connecting options and equipment options like at a "normal" hybrid are further powerful features.



### Further optional possibilities:

- Equipping of Hybrid T-380 with a carrier plate for a **Revolut microphone of beyerdynamic))))**
- All-round, bevelled or rounded outer edges for attached assembly
- Individual engravings, such as your logo (template)
- Frame and cover, for example, in stainless steel, aluminum, powder coated in RAL color, aluminum wet painted in RAL color, aluminum Nextel paint, etc.
- International power sockets are available on request



## SE 160 & Hybrid SE 160

The 1-workstation solution is available in the variants Standard+ and Design.

In the Standard+ variant the connections are flush mounted into the aluminum plate as defined standards. The connector panel is placed on the tabletop. The standard surface is HQ Structure with Superb Resistance Eloxal.

Rounded precious is the connector panel in the design option. The freely definable, flush plate is made of plexi-glas and can be labeled individually.



Design variant let in flush-bondedly



Look in the inside of the Standard+ variant with a defined equipping and standard surface

These connector panels are characterized by a space-saving, compact design. The complete connector panel is delivered arranged by us and pre-assembled. International power sockets are available on request.

### Special Note:

If the desk connector panel should be placed on the table, please inquire / order **WITH** circumferential outer radius!!!




## Options

### Frame & Cover

Frame and cover are optional available in following versions:

- One- or three-sided brush strip
- Rolled aluminium
- Stainless steel
- Corian®
- TIN surface
- Smoked glass
- Prepared for veneer
- Choose from over 500 different surface finishes your unique style form!



Connector panel with continuous veneer

### Further optional possibilities:

- Equipping of Hybrid T-380 or Hybrid Slim T-405 with a carrier plate for a **Revoluto microphone of beyerdynamic**
- All-round, bevelled or rounded outer edges for attached assembly
- Individual engravings, such as your logo (template)
- Frame and cover, for example, in stainless steel, aluminum, powder coated in RAL color, aluminum wet painted in RAL color, aluminum Nextel paint, etc.
- International power sockets are available on request

### Possible edge designs with base material aluminum for the mounting placed on the tabletop



Fase 45°



Fase 45° with R5



Outer radius 2mm



Outer radius 2mm with R5



## Dimensions

	W x D	Mounting cut-out	Install. depth
<b>T-300</b>	300mm x 200mm	280mm x 180mm	108mm
<b>T-380</b>	380mm x 200mm	360mm x 180mm	108mm
<b>T-520</b>	520mm x 200mm	500mm x 180mm	108mm
<b>T-315</b>	315mm x 215mm	295mm x 195mm	63mm
<b>T-365</b>	365mm x 215mm	345mm x 195mm	63mm
<b>T-405</b>	405mm x 235mm	385mm x 195mm	80mm
<b>SE 160</b>	160mm x 100mm	150mm x 90mm	61mm
<b>Hybrid SE 160</b>	160mm x 100mm	150mm x 90mm	61mm

## Important item numbers in the summary

Type	Item number
AF-TA Hybrid T300 Basis HQ-Structure (incl. cover & frame)	06006756
AF-TA Hybrid T380 Basis HQ-Structure (incl. cover & frame)	06006757
AF-TA Hybrid T520 Basis HQ-Structure (incl. cover & frame)	06006758
AF-TA Hybrid Slim T-315 Alu HQ Structure (incl. cover & frame)	06006753
AF-TA Hybrid Slim T-365 Alu HQ Structure (incl. cover & frame)	06006754
AF-TA Hybrid Slim T-405 Basis HQ Structure (incl. cover & frame)	06006764
AF-TA Option Wet paintwork basic price	06006641
AF-TA Option Wet paintwork unit price (per cover & frame)	06006642
AF-TA Option Powder coating basic price	06006643
AF-TA Option Powder coating unit price (per cover & frame)	06006644
AF-TA Boring template 24TE	06006667
AF-TA Boring template 40TE	06006668
AF-TA Boring template 48TE	06006669
AF-TA Customized engraving	06006645
AF-TA Option customer logo	06006653
AF-TA Option chamfer 45°/pointed	06006654
AF-TA Option chamfer 45°/radius R5	06006657
AF-TA Option outer radius R2/pointed	06006658
AF-TA Option outer radius R2/radius R5	06006659
AF-TA Option MPR Revoluto holder	06006755
AF-TA Hybrid SE 160 - without connector plate	06006665
AF-TA SE 160 - with standard fittings (ever 1x 230V / Cat6 / VGA / Audio)	06006740
Option power socket black Type E - France (1 piece)	06006730
Option power socket black Type J - CH (1 piece)	06006731
Option power socket black Type G - GB (1 piece)	06006732
Option power socket black Type B - USA (1 piece)	06006733

